

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

A 24101
F762E
Cop. 2

July 6, 1965

U. S. DEPT. OF AGRICULTURE
NATIONAL AGRICULTURAL LIBRARY

UNITED STATES DEPARTMENT OF AGRICULTURE
FOREST SERVICE
FOREST PRODUCTS LABORATORY
MADISON, WISCONSIN

MAR 10 1967

CURRENT SERIAL RECORDS

Exchange of Translations Scheme
(British Commonwealth Forestry Conference)

Translation No.

Author, Title, and Source

(a) Translations completed and distributed

- | | |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 613 | ISTRATE, V., FILIPESCU, Gh., and STEFU, C.
The influence of chip dimension on the
consumption of glue and the quality of particle
board. Industria Lemnului 17(4):133-137, 1964. |
| 614 | JUKNA, A. D., BANKIERIS, Ja. T., and ZIEDINS, I. O.
The flow of the particle-glue mixture in pressing
profiled parts from pulverized wood. Trud. Inst.
Lesokhoz. Probl., Riga No. 26:37-41, 1963. |
| 620 | KOTĚŠOVEC, V. Formation of long chips in
longitudinal sawing of wood. Holz als Roh- und
Werkstoff 22(8):308-313, 1964. |

(b) Translations being reproduced

- | | |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 562 | YLINEN, Arvo. Comparative investigation of the
influence of the loading- and deformation-rate on
the ultimate strength of wood. Holz als Roh- und
Werkstoff 21(5):173-176, May 1963. |
| 615 | KOZEL'CEV, L. I. Pressing chipboard under R.F.
heating. Derev. Prom. 11(12):16-17, 1962. |
| 616 | OGARKOV, B. I., and KRIVEL'SKIJ, V. I., A method
of compressing cylindrical blanks of wood of high
initial moisture content. Derev. Prom. 11(12):17-
18, 1962. |

(c) Translations scheduled

NIL

